

FARGO COMPACT table

Designed by iSiMAR

Collection made of galvanized steel or aluminium, polyester powder coated. The materials we use are durable, suitable for intensive use and weather-resistant.

The FARGO collection is perfect for indoor, outdoor and contract use. Our materials are noble, 100% recycled and recyclable, and environmentally friendly.

Colección fabricada en acero galvanizado o aluminio y lacado con polvo de poliéster. Nuestros materiales son aptos para el uso intensivo y resistentes a las inclemencias del tiempo. Perfectos para uso interior, exterior y contract. Asimismo, nuestros materiales son nobles, 100% reciclados y reciclables y responsables con el medio ambiente.



Technical specifications / Especificaciones técnicas


HPL table top

Galvanized steel / Acero galvanizado

| | |
|----------|---|
| iSi 5303 | 40 x 40 x 50 cm / 15.7" x 15.7" x 19.6" |
| iSi 5304 | 70 x 70 x 50 cm / 27.5" x 27.5" x 19.6" |
| iSi 5305 | 80 x 80 x 50 cm / 31.4" x 31.4" x 19.6" |
| iSi 5306 | 110 x 70 x 50 cm / 43.3" x 27.5" x 19.6" |
| iSi 5064 | 70 x 70 x 76 cm / 27.5" x 27.5" x 29.9" |
| iSi 5065 | 80 x 80 x 76 cm / 31.4" x 31.4" x 29.9" |
| iSi 5066 | 90 x 90 x 76 cm / 35.4" x 35.4" x 29.9" |
| iSi 5067 | 110 x 70 x 76 cm / 43.3" x 27.5" x 29.9" |
| iSi 5068 | 120 x 80 x 76 cm / 47.2" x 31.4" x 29.9" |
| iSi 9329 | 190 x 100 x 76 cm / 74.8" x 39.3" x 29.9" |

Aluminium / Aluminio

| | |
|----------|--|
| iSi 5442 | 40 x 40 x 45 cm / 15.7" x 15.7" x 17.7" |
| iSi 5443 | 70 x 70 x 50 cm / 27.5" x 27.5" x 19.6" |
| iSi 5444 | 80 x 80 x 50 cm / 31.4" x 31.4" x 19.6" |
| iSi 5445 | 110 x 70 x 50 cm / 43.3" x 27.5" x 19.6" |
| iSi 5446 | 70 x 70 x 76 cm / 27.5" x 27.5" x 29.9" |
| iSi 5447 | 80 x 80 x 76 cm / 31.4" x 31.4" x 29.9" |
| iSi 5449 | 110 x 70 x 76 cm / 43.3" x 27.5" x 29.9" |
| iSi 5450 | 120 x 80 x 76 cm / 47.2" x 31.4" x 29.9" |




DATE 2015

 Indoor & outdoor / Interior y exterior


 Galvanized steel / Acero galvanizado or Aluminium / Aluminio

 Stackable / Apilable


 Weight capacity / Peso máximo > 250 kg / 552 lb

 ADA available upon request.

 GS: Delivered disassembled / Se entrega desmontado

 GS: 6 - 25 kgs / 55 lbs
AL: 3 - 11 kgs / 6.6 - 24 lbs

 1 units/box

 GS: 25 units / pallet
AL: 8-16 units pallet

 UNE-EN 581-1 y 581-2

Custom options / Customización

Frame / Estructura

Select the color of the frame from our 32 metal finishes for indoor & outdoor use.

Color de la estructura a elegir entre 32 acabados metálicos, aptos para interior y exterior.

Table-top / Tablero

Select the table-top among 15 HPL finishes for indoor & outdoor use.

A elegir entre 15 acabados compacto, aptos para interior y exterior.

MATERIALS

Galvanized steel / Acero galvanizado

Specifications suitable for outdoor use and intensive use.
Manufactured under UNE-EN 10346 standards.

Especificaciones aptas para uso exterior y uso contract.
Fabricado bajo la norma UNE-EN 10346.



Galvanized steel DX51D - Z275
Acero galvanizado DX51D - Z275



100% recycled and recyclable
100% reciclado y reciclable

Aluminium/ Aluminio

Specifications suitable for outdoor use and intensive use.
Manufactured under UNE-EN 10204 standards.

Especificaciones aptas para uso exterior y uso contract.
Fabricado bajo la norma UNE-EN 10204.



Aluminium 6063
Aluminio 6063



100% recycled and recyclable
100% reciclado y reciclable

Paints / Pinturas

We use a texturized matte polyester powder coat specifically for galvanized steel and aluminium which is compliant with regulations for exterior and intensive use. Excellent mechanical properties and resistance to outdoor.

It respects the environment and complies with the European Directive on "Restriction of the use of certain hazardous substances".

Neutral salt spray test: C5H - ISO 12944-2/6 (Qualisteelcoat).

Utilizamos recubrimiento en polvo poliéster texturado y mate específico para acero galvanizado y aluminio.

Cumple con normativa para uso exterior y contract.

Excelentes propiedades mecánicas y resistencia a la intemperie.

Respeto el medio ambiente y cumple con la Directiva Europea de "Restriction of the use of certain hazardous substances".

NSS Test: C5H - ISO 12944-2/6 (Qualisteelcoat).



Suitable for outdoor
Apto para exterior



UV Resistant
Protege contra los rayos UVA



Protection against rust
Resistentes a la corrosión



Mechanical properties:
grip / impacts
Propiedades mecánicas:
adherencia / impactos



HPL table-top / Tablero compacto

High pressure laminated boards with excellent qualities for contract use, exterior, public places or cases with necessary level of hygiene (hospitals, kitchens, etc).

Width: 10 mm / 0.39 in.

Tableros laminados de alta presión con excelentes cualidades para uso contract, exterior, lugares públicos o casos con necesario nivel de higiene (hospitales, cocinas, etc).

Grosor del tablero: 10 mm.



Impact resistant
Resistente al impacto



UV Resistant
Protege contra los rayos UVA



High Durability
Alta durabilidad



Thermal-resistant
Termorresistente



Easy to clean and maintain
Fácil limpieza y mantenimiento



UV and friction resistant
Resistentes a los rayos UV y al rozamiento



FINISHES

Metal finishes / Acabados metálicos



HPL Table-top / Tablero compacto

